

Rayat Shikshan Sanstha's
Shri Sadguru Gangageer Maharaj Science, Gautam Arts & Sanjivani Commerce College,
Kopargaon-[423601] Dist. Ahmednagar

Academic Year 2018-19

Student's feedback on the teaching learning environment and infrastructure facilities about the college.

The students are the most important stake holders of Higher Education System. We have collected feedback from 20% of our under graduate and post graduate students. A special four-point scale feedback form about the College collected from 552 students.

Sr. No.	Parameters	A Very Good	B Good	C Satisfactory	D Unsatisfactory
1	Cooperation of office staff.	35.50	40.50	22	2
2	Cooperation of library staff.	30.50	40.50	26	3
3	Availability and accessibility of online resources in library.	40.20	42.80	15	2
4	Internet facility in the library.	38.40	41.50	15.10	5
5	Availability of prescribed / reading books in the library.	48.50	38.50	8	3
6	Condition of equipment in the lab.	35.50	40.50	22	2
7	Facility of separate common rooms for girls and boys.	38.40	41.50	15.10	5
8	Maintenance of toilets / washrooms.	48.50	38.50	8	3
9	Maintenance of class rooms.	35.50	40.50	22	2
10	Green and eco-friendly campus.	40	41	16.50	2.50
11	Availability of clean and filtered drinking water.	32.50	40.50	24	3
12	Availability of The classrooms / buildings for Disabled students.	30.50	40.50	26	3
13	The campus has adequate power supply.	40.20	42.80	15	2
14	Our grievances are redressed / problems are solved well in time.	38.40	41.50	15.10	5
15	Functioning of the placement cell.	48.50	38.50	8	3

On an average 38.73 % student's responses on the teaching learning environment and infrastructure facilities about the college are very good, 40.60 % student's responses are good, 17.18 % student's responses are satisfactory and 3.30 % student's responses are unsatisfactory with the teaching learning environment and infrastructure facilities about the college.

Some of the suggestions given by students are as follows:

1. Laboratory facilities are to be enhanced
2. Access to Computer Laboratory should be given
3. Clean and filtered drinking water should be provided


Chairman,
Feedback Committee


Principal
S.S.G.M. College
Kopargaon